

NEW



Rediscover light

Light brightens up rooms, helps our sense of orientation and adds to our safety. Light is also an ideal design element: it creates individual accents, atmosphere and comfort. No matter what your ideas are, you ought to realise them with lights by Dometic. They have been specially designed for mobile use, work from a 12-volt supply and most are equipped with **modern LED technology. The benefits are obvious:** extremely low energy consumption, long service life, longer battery running time in off-mains operation, minimal heat generation.

Dometic lights boast an elegant minimalist design which blends into every interior. Choose from a wide variety of products to create a tailor-made **lighting concept for your recreational vehicle.** And retrofit your current lamps with energy-efficient LED technology: with spare LED lamps from the Dometic range.

- **Recessed spots**
Gentle room or reading light for a perfect fit. Available in chrome and silver.
- **Surface mounted spots**
Bright and pleasant light, partly pivoting and for use as a reading lamp. Compact design permits fitting in narrow spaces.
- **Special lighting**
From kitchen cabinet lighting to access lights and battery-powered flashlights – our light designers have thought of everything.

Dometic LIGHT L23RM Recessed spot

3.35



Input voltage	12 volts DC
Power rating	1 watt
Lamps	G4 PCB, power-LED
Cable length	15 cm
Material	Metal, glass
Colour	Chrome, polished
Dimensions [Ø x D]	60 x 20 mm
Weight	55 g
Quality features	Minimal installation depth, luminosity corresponds to a 10-watt halogen lamp
IP class	20
Test mark	CE


NEW
Can be used as room lighting
Sleek and elegant

Scope of delivery: recessed spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L23RM	9106500023

Dometic LIGHT L26RM Recessed spot

3.35



Input voltage	12 volts DC
Power rating	1 watt
Lamps	G4 PCB, side pin, power-LED
Cable length	15 cm
Material	Plastic, glass
Colour	Silver, matte
Dimensions [Ø x D]	70 x 20 mm
Weight	53 g
Quality features	Minimal installation depth, luminosity corresponds to a 10-watt halogen lamp
IP class	20
Test mark	CE

NEW
Can be used as room lighting
Fastening with double leg springs

Scope of delivery: recessed spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L26RM	9106500026

Dometic LIGHT L20RM

Recessed spot with switch

3.35



Input voltage	12 volts DC
Power rating	1 watt
Lamps	G4 back pin long, power-LED
Cable length	10 cm
Material	Plastic, glass
Colour	Silver, matte
Dimensions [Ø x D]	80 x 40 mm
Weight	100 g
Quality features	Reading lamp, swiveling
IP class	20
Test mark	CE

NEW

ON/OFF switch

Swiveling

Can be used as a reading light

Scope of delivery: recessed spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L20RM	910650020

Dometic LIGHT L21TM

Surface mounted spot with switch

3.35



Input voltage	12 volts DC
Power rating	1 watt
Lamps	G4 back pin long, power-LED
Cable length	5 cm
Material	Plastic, glass
Colour	Silver, matte
Dimensions [Ø x D]	85 x 50 mm
Weight	100 g
Quality features	Reading lamp, swiveling
IP class	20
Test mark	CE

NEW

ON/OFF switch

Swiveling

Can be used as a reading light

Scope of delivery: surface mounted spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L21TM	910650021

Dometic LIGHT L22TM

Surface mounted spot with switch

3.35



Input voltage	12 volts DC
Power rating	1 watt
Lamps	G4 back pin long, power-LED
Cable length	5 cm
Material	Plastic, glass
Colour	Silver, matte
Dimensions [Ø x D]	65 x 90 mm
Weight	85 g
Quality features	Reading lamp, swiveling
IP class	20
Test mark	CE

NEW

ON/OFF switch

Swiveling

Can be used as a reading light

Scope of delivery: surface mounted spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L22TM	910650022

Dometic LIGHT L19TM

Surface mounted spot with switch

3.35



Input voltage	12 volts DC
Power rating	1 watt
Lamps	G4 back pin long, power-LED
Cable length	5 cm
Material	Plastic, glass
Colour	Silver, matte
Dimensions [Ø x D]	65 x 85 mm
Weight	85 g
Quality features	Reading lamp, pivots and swivels
IP class	20
Test mark	CE

NEW

ON/OFF switch

Pivots and swivels

Can be used as a reading light

Scope of delivery: surface mounted spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L19TM	910650019

Dometic LIGHT L24TM

Surface mounted spot with switch

3.35



Input voltage	12 volts DC
Power rating	0.75 watt
Lamps	MR16 LED cold light mirror
Cable length	5 cm
Material	Aluminium
Colour	Silver, matte
Dimensions [Ø x D]	65 x 110 mm
Weight	160 g
Quality features	Reading lamp, pivots and swivels
IP class	20
Test mark	CE

NEW

ON/OFF switch

Pivots and swivels

Can be used as a reading light

Scope of delivery: surface mounted spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L24TM	910650024

Dometic LIGHT L25TM

Surface mounted spot with switch

3.35



Input voltage	12 volts DC
Power rating	0.75 watt
Lamps	MR16 LED cold light mirror
Cable length	5 cm
Material	Plastic, glass
Colour	Silver, matte
Dimensions [Ø x D]	75 x 125 mm
Weight	145 g
Quality features	Reading lamp, pivots and swivels
IP class	20
Test mark	CE

NEW

ON/OFF switch

Pivots and swivels

Can be used as a reading light

Scope of delivery: surface mounted spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L25TM	910650025

Dometic LIGHT H10S

Swan-neck spots with switch

3.35



Input voltage	12 volts DC
Power rating	10 watt
Lamps	G4 halogen
Cable length	5 cm
Safety clearance	10 cm
Material	Plastic, glass
Colour	Silver, matte
Dimensions [Ø x D]	75 x 295 mm Glass body: Ø 40 mm x 70 mm Foot: Ø 75 mm
Weight	160 g
Quality features	Reading lamp, pivots and swivels
IP class	20
Test mark	CE

Scope of delivery: swan neck spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT H10S	9106500014

NEW

ON/OFF switch


Can be turned in any direction

Can be used as a reading light

Dometic LIGHT L27TM

Triangular light with switch

3.35



Input voltage	12 volts DC
Power rating	10 watt
Lamps	Power-LED, 1 watt
Cable length	5 cm
Material	Metal, glass
Colour	Silver, brushed
Dimensions [W x H x D]	130 x 130 x 45 mm
Weight	140 g
Quality features	Work lamp
IP class	20
Test mark	CE

Scope of delivery: triangular light, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L27TM	9106500027

NEW

ON/OFF switch

For fitting underneath suspended cabinets

Lights for workspaces

Dometic LIGHT L28TM

Cabinet light with magnetic contact switch

3.35



Input voltage	4.5 volt, battery-powered
Power rating	0.1 watt
Lamps	LED
Material	Plastic
Colour	White
Dimensions [W x H x D]	30 x 65 x 25 mm
Weight	31 g
Quality features	Cabinet light, battery-powered with magnetic contact switch, fitted by adhesive surface

Scope of delivery: wardrobe light, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L28TM	9106500028

NEW


For universal use

For cabinets or storage compartments

Dometic LIGHT L30TM

Aluminium rail

3.35



Input voltage	12 volts DC
Power rating	2.5 watt
Lamps	SMD-LED
Cable length	100 cm
Material	Metal
Colour	Silver, matte
Dimensions [W x H x D]	865 x 35 x 10 mm
Weight	300 g
Quality features	Ambient light, fitted by adhesive surface
IP class	20
Test mark	CE

Scope of delivery: aluminium-profiles light bar, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L30TM	9106500030

NEW

For fitting to the top of cupboards

Dometic LIGHT L31TM

Aluminium rail with switch

3.35



Input voltage	230 volts
Power rating	4 watt
Lamps	4 x 1 W power-LED
Cable length	150 cm
Material	Metal
Colour	Silver, matte
Dimensions [W x H x D]	600 x 30 x 10 mm
Weight	600 g
Quality features	Worklight for fitting under suspended cabinets, operations at 230 volts [constant current source] only
IP class	20
Test mark	CE

Scope of delivery: worklight, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L31TM	9106500031

NEW

ON/OFF switch

For fitting underneath suspended cabinets

Small dimensions



Dometic LIGHT L29TM

Access lighting

3.35



Input voltage	12 volts DC
Power rating	0.1 watt
Lamps	LED
Cable length	50 cm
Material	Plastic
Colour	Silver, matte
Dimensions [W x H x D]	50 x 18 x 15 mm
Weight	12 g
Quality features	Foot step lighting, very small dimensions
IP class	20
Test mark	CE

NEW

Floor-level illumination

For the entry area

Scope of delivery: access light, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L29TM	9106500029

Dometic LIGHT L37TM

Battery flashlight

3.35



Input voltage	3.6 volts
Power rating	1.5 watt
Lamps	30 LEDs
Material	ABS plastic
Colour	Black
Dimensions [W x H x D]	50 x 335 x 36 mm
Weight	295 g
Quality features	Sturdy, easy-to-handle housing, integrated hanger for use e.g. in a tent, rear side with magnet and thread for mini stands incl. 230-volt charging unit and 12-volt charging cable, integrated LED for capacity indication, battery operating time up to 5 hours [depending on charging state of the battery]

NEW


Suitable for outdoors

For installation in the motorhome garage

Wide range of applications

Scope of delivery: flashlight, 230-volt charging station, 12-volt charging cable, installation instructions


Product	Ref. No.
Dometic LIGHT L37TM	9106500037



Dometic LIGHT RetroFit Side Pin

Spare lamp for G4 sockets

3.35



Input voltage	12 volts DC
Power rating	1 watt
Lamps	PCB with power-LED
Socket	G4 side pin
Dimensions [Ø x D]	25 x 10 mm
Weight	5 g
Quality features	Spare lamp or for conversion to LED technology, replaces halogen cold light mirror with G4 socket

NEW

Luminosity corresponds to a 10-watt halogen lamp

Suitable for converting to LED technology


Up to 90% energy savings compared to halogen lamps

Product	Ref. No.
Dometic LIGHT RetroFit Side Pin	9106500032

Dometic LIGHT RetroFit MR16

Spare lamp for MR16 cold light mirror

3.35



Input voltage	12 volts DC
Power rating	0.75 watt
Lamps	MR16 LED cold light mirror
Socket	MR16
Dimensions [Ø x D]	49 x 45 mm
Weight	37 g
Quality features	Spare lamp or for conversion to LED technology, replaces halogen cold light mirror MR16

NEW

Luminosity corresponds to a 10-watt halogen lamp

Suitable for converting to LED technology


Up to 90% energy savings compared to halogen lamps

Product	Ref. No.
Dometic LIGHT RetroFit MR16	9106500034

Dometic LIGHT RetroFit Back Pin

Spare lamp for G4 sockets or MR11 cold light mirror

3.35



	Back pin	Back pin long
Input voltage	12 volts DC	
Power rating	1 watt	
Lamps	Power LED	
Socket	G4 back pin	G4 back pin long
Dimensions [Ø x D]	28 x 26 mm	
Weight	53 g	
Quality features	Spare lamp or for conversion to LED technology, replaces halogen cold light mirror MR11 or halogen lights with G4 sockets, depending on the type of lamp available in a short or long version	

NEW

Luminosity corresponds to a 10-watt halogen lamp

Suitable for converting to LED technology

Up to 90% energy savings compared to halogen lamps

Product	Ref. No.
Dometic LIGHT RetroFit Back Pin	9106500033
Dometic LIGHT RetroFit Back Pin long	9106500035