



## Mobile kitchen solutions

Portable grills	210 – 211
Alcohol stoves – free-standing models	212 – 213
Ovens	214 – 215
Built-in hobs (with glass lid)	216 – 217
Built-in hobs	218 – 219
Built-in hob/sink combinations (with glass lid)	220 – 221
Built-in hob/sink combinations	222 – 223
Built-in sinks (with glass lid)	224 – 225
Built-in sinks and washbowls / waste trays	226 – 227
Optional extras	228 – 229
Air recirculation cooker hood / Dishwasher	230 – 233
Car-Kettles / Coffee-Makers	234 – 237



# Mobile kitchen concepts

## Home-style cooking and enjoyment

### Star chef on board: your convenient mobile kitchen

No matter which dish you are preparing when you're on holiday: cooking can be a real pleasure in your mobile kitchen. Treat your family – and yourself – to a delicious meal made from fresh ingredients purchased at the local market. Or create something

fabulous from what is in the fridge. Smart kitchen technology with well-planned features and functions turns the chore of cooking into a culinary holiday treat. Enjoy it!

### Portable grills

Highly regarded by mobile hobby chefs for more than 30 years: The practical Dometic CRAMER portable grills can be easily transported anywhere and everywhere. Available in three models – with one, two or three cooking grate(s).



CRAMER Classic 1

### Ovens

For all kinds of delicacies: nicely rising cakes or aromatic pizzas, juicy roasts or crisp chicken, grilled dinners or quick toasts. Fully equipped. For permanent installation.



SMEV FO211GT

### Hobs

High-quality built-in solutions in a wide range of sizes and for every kind of space. Gas burners with a safety ignition system. New: Hobs with a polished glass surface.



SMEV PI8423GL

### Hob/sink combinations

The most efficient use of worktop space in a mobile kitchen: ultra-compact combination of double-burner hob and sink. Durable stainless steel. Gas burners with a safety ignition system.



SMEV M09222L



CRAMER CE00-MINI/BO-HI/27-I-G



SMEV VA7306FP



CRAMER CE09

### Built-in sinks

You are bound to find a matching sink for your galley here. Round or square, sinks in various dimensions, and with drainer, too. Sturdy stainless steel design of lasting value. Models with or without a glass lid.

### Alcohol stove

Popular alternative to a gas cooker: a free-standing alcohol stove with one or two flame(s). Compact design – ideal for small kitchens or for picnics. Tried-and-tested and safe technology.



ORIGO 3000

### Convenience features for the on-board kitchen

Specially made for mobile use: with everything which makes kitchen equipment perfect at home. From the innovative air recirculation cooker hood and dishwashers to car kettles.



Dometic CK 2000



Dometic DW 2440S



WAECO PerfectCoffee MC08



## Make grilling and cooking a joy to take anywhere

Once you've used one, you'll never want to go without one again: the practical Dometic CRAMER portable grills have been warmly recommended by al fresco chefs for over 30 years. They operate using gas, and are set up and ready to use in a trice. The meat can go on the grill while the side dishes are sizzling on one, two or three cooking grate(s). Thanks to the top-mounted burner, there's neither smoke, ash nor sparks – you can enjoy perfect barbecues absolutely anywhere!

### Dometic CRAMER Classic 1 Portable grill with three cooking grates

3.37



Gas pressure regulator not included

<b>Power rating</b>	5300 watts
<b>Gas consumption</b>	385 g/h
<b>Gas supply pressure</b>	30 mbar for a gas socket; 50 mbar for bottled gas
<b>Number of burners</b>	3
<b>Colour of case</b>	Anthracite
<b>Side panels</b>	Aluminium
<b>Quality features</b>	Stainless steel burner and cooking grates, easy to set up and pack away, steel case for ease of transport, 4 stable support legs, roasting spit with 2 meat holders, oven rack holder, grill pan with tray and heat-insulated handle, aluminium drip tray, gas supply hose
<b>Dimensions [W x H x D]</b>	300 x 630 x 120 mm [closed] Drip tray with rack [B x T]: 600 x 290 mm
<b>Weight</b>	10 kg
<b>Test mark</b>	CE

Product	Ref. No.
Dometic CRAMER Classic 1, 50 mbar	9103300043 D, CH, A
Dometic CRAMER Classic 1, 30 mbar only approved for connection to a gas socket [coupling]	9103300055 D, CH, A
Dometic CRAMER Classic 1, 30 mbar	9103300071 UK, I, S

More country-specific models on request.



Gas

No smoke, ash or sparks are produced

Cook and grill at the same time

Compact "suitcase" design: easy to transport

Stainless steel burner and cooking grate

### Dometic CRAMER Classic 2 Portable grill with two cooking grates

3.37



Gas pressure regulator not included

<b>Power rating</b>	4300 watts
<b>Gas consumption</b>	320 g/h
<b>Gas supply pressure</b>	30 mbar for a gas socket; 50 mbar for bottled gas
<b>Number of burners</b>	2
<b>Colour of case</b>	Anthracite
<b>Side panels</b>	Aluminium
<b>Quality features</b>	Stainless steel burner and cooking grates, easy to set up and pack away, steel case for ease of transport, 4 stable support legs, roasting spit with 2 meat holders, oven rack holder, grill pan with tray and heat-insulated handle, aluminium drip tray, gas supply hose
<b>Dimensions [W x H x D]</b>	300 x 500 x 120 mm [closed] Drip tray with rack [B x T]: 506 x 290 mm
<b>Weight</b>	8 kg
<b>Test mark</b>	CE

Product	Ref. No.
Dometic CRAMER Classic 2, 50 mbar	9103300009 D, CH, A
Dometic CRAMER Classic 2, 30 mbar only approved for connection to a gas socket [coupling]	9103300026 D, CH, A
Dometic CRAMER Classic 2, 30 mbar	9103300126 UK, I, S

More country-specific models on request.



Gas

No smoke, ash or sparks are produced

Cook and grill at the same time

Compact "suitcase" design: easy to transport

Stainless steel burner and cooking grate

### Dometic CRAMER Trekki Portable grill with one cooking grate

3.37



Gas pressure regulator not included

	30 mbar	50 mbar
<b>Power rating</b>	1800 watts	2200 watts
<b>Gas consumption</b>	130 g/h	160 g/h
<b>Gas supply pressure</b>	30 mbar for a gas socket	50 mbar for bottled gas
<b>Number of burners</b>	1	1
<b>Colour of case</b>	Aluminium	
<b>Side panels</b>	Aluminium	
<b>Quality features</b>	Stainless-steel burner, aluminium cooking grate, easy to set up and pack away, aluminium case for ease of transport, grill tray holder, gas supply hose	
<b>Dimensions [W x H x D]</b>	200 x 260 x 75 mm [closed] Rack [B x T]: 215 x 165 mm	
<b>Weight</b>	1.4 kg	
<b>Test mark</b>	CE	

Product	Ref. No.
Dometic CRAMER Trekki, 50 mbar	9103300000 D, CH, A
Dometic CRAMER Trekki, 30 mbar only approved for connection to a gas socket [coupling]	9103300006 D, CH, A
Dometic CRAMER Trekki, 30 mbar	9103300127 UK, I, S

More country-specific models on request.



Gas

No smoke, ash or sparks are produced

Cook and grill at the same time

Compact "suitcase" design: easy to transport

Aluminium cooking grate, stainless steel burner

### Dometic CRAMER accessories


3.37



Side shelves for grill



Grill rack midi



Grill rack maxi



1.5-volt battery grill motor



Combination grill motor

- Side shelves for grill**  
Suitable for all CRAMER grills, attached to the side of the grill, supplied in pairs, chromed tray holder, dimensions [W x D] approx. 270 x 170 mm
- Grill rack midi**  
Rack width: 320 mm, for all grills with 35 – 48 cm inside width, for 2-burner grills
- Grill rack maxi**  
Rack width: 480 mm, for all grills with 52 – 62 cm inside width, for 3-burner grills
- 1.5-volt battery grill motor**  
For 1.5-volt batteries, RFI suppressed, battery not included
- Combination grill motor**  
For either 230-volt mains or 1.5-volt battery, batteries not included

Product	Ref. No.
Side shelves for grill	9103300804
Grill rack midi	9103300800
Grill rack maxi	9103300801
1.5-volt battery grill motor	9103300802
Combination grill motor	9103300807

## Mobile alcohol stoves

If you would rather cook using alcohol than with gas, the Dometic ORIGO range has something for you. Dometic ORIGO alcohol stoves are ideal for those really tight on-board kitchens or for picnics in the open. One or two burners, super-compact design, easy to stow away again after meals. Tried-and-tested, safe and high-performance technology. Stainless steel, high-quality finish and easy to clean.

### Dometic ORIGO 1500

Single-burner free-standing alcohol stove

3.33 / 3.32



Burning time	approx. 4.5 hours
Number of burners	1
Burner capacity	2000 watts
Boiling time	10 minutes for 1 litre of water
Tank capacity	1.2 litres
Dimensions [W x H x D]	236 x 137 x 262 mm
Weight	3.4 kg

**NEW**

Compact design – easy to stow away

Ideal for indoor and outdoor use

High cooking power on all burners

Easy access to the alcohol-fuel container – simple and safe to fill

Comprehensive accessories which can be ordered separately



Cutting boards

### Dometic ORIGO 3000

Double-burner free-standing alcohol stove



Burning time	approx. 4.5 hours
Number of burners	2
Burner capacity	2000 watts per burner
Boiling time	10 minutes for 1 litre of water
Tank capacity	1.2 litres per tank
Dimensions [W x H x D]	464 x 137 x 262 mm
Weight	6.3 kg

Product	Ref. No.
Dometic ORIGO 1500	9103303880
Dometic ORIGO 3000	9103303882
<b>Optional extras</b>	
Cutting board 1500	9103303988
Cutting board 3000	9103303985
Fuel tank	9103303993
Flame spreader	9103303996
Rubber gasket	9103303995

## Heater and stove all in one

**Need some extra heat in your awning?** The ORIGO 5100 is the ideal back-up heater. Small, lightweight and extremely efficient, it provides 1500 watts for fast additional heat. With the lid removed it can be used as a stove. It will boil a litre of water in 15 minutes and is also great for keeping food warm. Using alcohol as fuel, ORIGO 5100 is pressure-free and absolutely safe in operation.

### Dometic ORIGO 5100

Alcohol heater / stove

3.32



Burning time	approx. 5 hours
Number of burners	1
Burner capacity	1500 watts
Boiling time	15 minutes for 1 litre of water
Tank capacity	1.2 litres
Dimensions [W x H]	285 x 150–285 mm
Weight	2.5 kg

**NEW**

Ideal for indoor and outdoor use

Heater and stove all in one

Can also be used for keeping food warm

1500 watts output in heater mode

Product	Ref. No.
Dometic ORIGO 5100	9103303920
Fuel tank	9103303994



## Baking and grilling with perfect design

Nicely rising cakes or aromatic pizzas, juicy roasts or crisp chickens, grilled dinners ... you can create the most delightful delicacies with your exclusive SMEV and Dometic CRAMER oven on board. Setting the temperature and grill function (except CMBOA) is easy and comfortable. Baking tray and rack included. The ovens are easy to use and install. Space-saving features for your vehicle – and a big step forward for mobile cooking convenience!



### SMEV FO211GT

Oven with grill

3.38



<b>Voltage</b>	12 volts DC [electric ignition]
<b>Oven output</b>	1.0 kW
<b>Grill output</b>	1.3 kW
<b>Gas consumption oven</b>	73 g/h
<b>Gas consumption grill</b>	95 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Total output</b>	2.3 kW
<b>Total consumption</b>	168 g/h
<b>Oven capacity</b>	20 litres
<b>Quality features</b>	Thermostat, interior light, electronic 12-volt ignition, safety ignition system, grill included, easy-clean door and interior, bottom-hinged door, chimney connection, rotary tray, multi-layered door. Stainless steel baking tray and oven grid included with each unit, glass door with safety locking
<b>Dimensions [W x H x D]</b>	530 x 310 x 410 mm
<b>Built-in dimensions [W x H x D]</b>	504 x 283 x 460 mm
<b>Weight</b>	13.2 kg
<b>Test mark</b>	CE



Gas

Thermostat

Interior light

Electronic 12-volt ignition

Safety ignition system

Grill included

Oven doors with safety locking

**NEW**  
Rotary tray and highly insulated multi-layer door

### SMEV FO311GT

Oven with grill



<b>Voltage</b>	12 volts DC [electric ignition]
<b>Oven output</b>	1.0 kW
<b>Gas consumption oven</b>	73 g/h
<b>Grill output</b>	1.3 kW
<b>Gas consumption grill</b>	95 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Total output</b>	2.3 kW
<b>Total consumption</b>	168 g/h
<b>Oven capacity</b>	30 litres
<b>Quality features</b>	Thermostat, interior light, electronic 12-volt ignition, safety ignition system, grill included, easy-clean door and interior, bottom-hinged door, chimney connection, rotary tray, multi-layered door. Stainless steel baking tray and oven grid included with each unit. Glass door with safety locking
<b>Dimensions [W x H x D]</b>	530 x 430 x 415 mm
<b>Built-in dimensions [W x H x D]</b>	500 x 410 x 460 mm
<b>Weight</b>	19.5 kg
<b>Test mark</b>	CE

Product	Ref. No.
SMEV FO211GT	9102302150
SMEV FO311GT	9102302151

### Dometic CRAMER CBCG

Oven with grill

3.37



<b>Voltage</b>	12 volts DC [electric ignition]
<b>Oven output</b>	1.2 kW
<b>Grill output</b>	1.6 kW
<b>Gas consumption oven</b>	85 g/h
<b>Gas consumption grill</b>	115 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Total output</b>	2.8 kW
<b>Total consumption</b>	200 g/h
<b>Oven capacity</b>	32 litres
<b>Quality features</b>	Panorama door made of heat-resistant glass, thermostat, electric 12-volt ignition, grill included, easy-clean door and interior, interior light, bottom-hinged door, enamelled baking tray, stainless steel over rack and roasting spit
<b>Dimensions [W x H x D]</b>	528 x 430 x 422 mm
<b>Built-in dimensions [W x H x D]</b>	462 x 484 x 422 mm
<b>Weight</b>	18.4 kg
<b>Test mark</b>	CE



Gas

Heat-resistant glass panorama door

Thermostat

Electronic 12-volt ignition

Easy-clean door and interior

Interior light

Grill and roasting spit [CBCG]

### Dometic CRAMER CMBOA

Oven



<b>Voltage</b>	12 volts DC [electric ignition]
<b>Oven output</b>	1.1 kW
<b>Gas consumption oven</b>	80 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Oven capacity</b>	18 litres
<b>Quality features</b>	Panorama door made of heat-resistant glass, thermostat, electric 12-volt ignition, grill included, easy-clean door and interior, interior light, bottom-hinged door, enamelled baking tray and pan, stainless steel oven rack and roasting spit
<b>Dimensions [W x H x D]</b>	410 x 310.8 x 489.7 mm
<b>Built-in dimensions [W x H x D]</b>	398 x 304 x 490 mm
<b>Weight</b>	13.7 kg
<b>Test mark</b>	CE

Product	Ref. No.
Dometic CRAMER CBCG	9103300491
Dometic CRAMER CMBOA	9103300500

## Optimal protection for the hob

When you need to cook with two or three burners in narrow spaces – the SMEV and Dometic CRAMER hobs make it possible. The hob is installed flush with the worktop. Ergonomically positioned controls keep you in perfect command of the cooking process. The new polished glass surface make them not only eye-catching, but also child's play to clean. If no pots are on the hob you can close the glass lid to gain additional workspace – and protect your hob at the same time.



### SMEV PI8023GL

3-burner hob with glass lid and glass surface

3.38



<b>Voltage</b>	12 volts DC [electric ignition]
<b>Power rating</b>	4.6 kW
<b>Gas consumption</b>	335 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	3
<b>Quality features</b>	Integrated heat-resistant safety glass lid, easy-to-clean heat-resistant safety glass surface, detachable chromed pan support, enamelled burner caps, recessed controls, electronic 12-volt ignition, safety ignition system, rubber seal
<b>Dimensions [W x H x D]</b>	560 x 90.5 x 440 mm
<b>Built-in dimensions [W x D]</b>	466 x 358 mm
<b>Weight</b>	3.6 kg
<b>Test mark</b>	CE

**NEW**



Gas

Electronic 12-volt ignition

Safety ignition system

Integrated heat-resistant safety glass lid

Glass surface quick and easy to clean

Detachable chromed pan supports

Enamelled burner caps

### SMEV PI8423GL

3-burner hob with glass lid and glass surface



<b>Voltage</b>	12 volts DC [electric ignition]
<b>Power rating</b>	4.6 kW
<b>Gas consumption</b>	335 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	3
<b>Quality features</b>	Integrated heat-resistant safety glass lid, easy-to-clean heat-resistant safety glass surface, detachable chromed pan support, enamelled burner caps, safety ignition system, recessed controls, electronic 12-volt ignition, rubber seal
<b>Dimensions [W x H x D]</b>	590 x 160 x 350 mm
<b>Built-in dimensions [W x D]</b>	572 x 332 mm
<b>Weight</b>	6.9 kg
<b>Test mark</b>	CE

Product	Ref. No.
SMEV PI8023GL	9102302154
SMEV PI8423GL	9102302155

### Dometic CRAMER CE99-ZF460-I-G

2-burner hob with glass lid

3.37



<b>Power rating</b>	3.2 kW
<b>Gas consumption</b>	233 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls
<b>Dimensions [W x H x D]</b>	460 x 90 x 335 mm
<b>Built-in dimensions [W x D]</b>	440 x 315 mm
<b>Weight</b>	3.3 kg
<b>Test mark</b>	CE



Gas

Safety ignition system

Integrated heat-resistant safety glass lid

Detachable pan supports – easy to clean

Stainless steel burner caps

### Dometic CRAMER CE99-DF-I-G

3-burner hob with glass lid



<b>Power rating</b>	4.8 kW
<b>Gas consumption</b>	350 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	3
<b>Quality features</b>	Integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls
<b>Dimensions [W x H x D]</b>	520 x 90 x 445 mm
<b>Built-in dimensions [W x D]</b>	510 x 435 mm
<b>Weight</b>	5.1 kg
<b>Test mark</b>	CE

### Dometic CRAMER CE-08-DF

3-burner hob with glass lid and glass surface

3.37



<b>Voltage</b>	12 volts DC [electric ignition]
<b>Power rating</b>	4.5 kW
<b>Gas consumption</b>	330 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	3
<b>Quality features</b>	2 integrated heat-resistant safety glass lid, easy-to-clean heat-resistant safety glass surface, detachable chromed pan support, enamelled burner caps, safety ignition system, recessed controls
<b>Weight</b>	7.2 kg
<b>Dimensions [W x H x D]</b>	485.5 x 86 x 485.5 mm
<b>Built-in dimensions [W x D]</b>	457.4 x 455.2 mm
<b>Test mark</b>	CE

**NEW**



Gas

Electronic 12-volt ignition

Safety ignition system

Two integrated heat-resistant safety glass lids

Detachable chromed pan supports

Glass surface quick and easy to clean

Enamelled burner caps

Product	Ref. No.
Dometic CRAMER CE99-ZF460-I-G	9103300436
Dometic CRAMER CE99-DF-I-G	9103300402
Dometic CRAMER CE-08-DF	9103300502

## Tried-and-tested base units

Space for up to four pots and pans ... ergonomic heat control with recessed-mounted, easy-to-check turning switches ... functional equipment ... in short: home-like cooking comfort. The SMEV and Dometic CRAMER hobs are remarkably compact, made from robust stainless steel and equipped with detachable pan supports and a safety ignition system.



### SMEV PI8621RP

1-burner built-in hob



Power rating	2.3 kW
Gas consumption	167 g/h
Gas supply pressure	30 mbar
Number of burners	1
Quality features	Detachable chromed pan support, stainless steel burner lid, Piezo ignition, safety ignition system
Dimensions [W x H x D]	240 x 102 x 320 mm
Built-in dimensions [W x D]	216 x 296 mm
Weight	1 kg
Test mark	CE

3.38



Gas

Piezo ignition

12-volt ignition [PI913]

Safety ignition system

Detachable pan support – easy to clean

### SMEV PI909

2-burner built-in hob



Power rating	2.8 kW
Gas consumption	204 g/h
Gas supply pressure	30 mbar
Number of burners	2
Quality features	Detachable chromed pan support, enamelled burner caps, Piezo ignition, safety ignition system
Dimensions [W x H x D]	420 x 75 x 370 mm
Built-in dimensions [W x D]	386 x 336 mm
Weight	1.9 kg
Test mark	CE

### SMEV PI913

3-burner built-in hob



Voltage	12 volts DC [electric ignition]
Power rating	3.8 kW
Gas consumption	277 g/h
Gas supply pressure	30 mbar
Number of burners	3
Quality features	Detachable chromed pan support, enamelled burner caps, electronic 12-volt ignition, safety ignition system, rubber seal
Dimensions [W x H x D]	520 x 90 x 370 mm
Built-in dimensions [W x D]	486 x 336 mm
Weight	2.7 kg
Test mark	CE

Product	Ref. No.
SMEV PI8621RP	9102300033
SMEV PI909	9102300038
SMEV PI913	9102300039

### Dometic CRAMER CE88 ZF EK2000 NIRO

2-burner hobs



Power rating	3.2 kW
Gas consumption	233 g/h
Gas supply pressure	30 mbar
Number of burners	2
Quality features	Detachable chromed pan supports, stainless steel burner caps, safety ignition system
Dimensions [W x H x D]	450 x 50 x 325 mm
Built-in dimensions [W x D]	430 x 305 mm
Weight	1.6 kg
Test mark	CE

3.37



Gas

Detachable pan supports – easy to clean

Stainless steel burner caps

Safety ignition system

### Dometic CRAMER CE94 DF EK2000 NIRO

3-burner hobs



Power rating	4.8 kW
Gas consumption	350 g/h
Gas supply pressure	30 mbar
Number of burners	3
Quality features	Detachable chromed pan supports, stainless steel burner caps, safety ignition system
Dimensions [W x H x D]	500 x 50 x 400 mm
Built-in dimensions [W x D]	470 x 370 mm
Weight	4.1 kg
Test mark	CE

### Dometic CRAMER CE88 VF EK2000-I

4-burner hobs



Power rating	6.4 kW
Gas consumption	467 g/h
Gas supply pressure	30 mbar
Number of burners	4
Quality features	Detachable chromed pan supports, stainless steel burner caps, safety ignition system
Dimensions [W x H x D]	400 x 50 x 500 mm
Built-in dimensions [W x D]	370 x 470 mm
Weight	4.1 kg
Test mark	CE

Product	Ref. No.
Dometic CRAMER CE88 ZF EK2000 NIRO	9103300439
Dometic CRAMER CE94 DF EK2000 NIRO	9103300441
Dometic CRAMER CE88 VF EK2000-I	9103300437

## Elegant “kitchen centres”

Cooking and washing up in one. The compact hob/sink combinations from SMEV and Dometic CRAMER feature two or three burners as well as a sink. Once the work is done, simply fold the integrated glass lid down to expand your worktop to use for other things. The hob/sink combinations also feature a safety ignition system.



### SMEV MO9222R / MO9222L

2-burner hob/sink combination with glass lids

3.38



MO9222R



MO9222L

<b>Voltage</b>	12 volts DC [electric ignition]
<b>Power rating</b>	2.8 kW
<b>Gas consumption</b>	204 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	2 integrated heat-resistant safety glass lids, detachable chromed pot grids, enamelled burner caps, recessed controls, electronic 12-volt ignition, safety ignition system, AC 540 siphon, rubber seal, supplied with hole for tap [Ø 39 mm]
<b>Dimensions [W x H x D]</b>	900 x 152 x 370 mm
<b>Built-in dimensions [W x D]</b>	793 x 307 mm
<b>Weight</b>	5.8 kg
<b>Test mark</b>	CE



Gas

Electronic 12-volt ignition

Safety ignition system

Integrated heat-resistant safety glass lid

Detachable pan supports – easy to clean

Tap fitting inside

Enamelled burner caps

Taps not included!

### SMEV MO8322R

2-burner hob/sink combination with glass lid



AC 539, plastic

<b>Voltage</b>	12 volts DC [electric ignition]
<b>Power rating</b>	2.8 kW
<b>Gas consumption</b>	204 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Integrated heat-resistant safety glass lid, detachable chromed pot grids, enamelled burner caps, recessed controls, electronic 12-volt ignition, safety ignition system, AC 540 siphon, rubber seal, supplied with hole for tap [Ø 39 mm]
<b>Dimensions [W x H x D]</b>	680 x 142 x 440 mm
<b>Built-in dimensions [W x D]</b>	666 x 426 mm
<b>Weight</b>	5.6 kg
<b>Test mark</b>	CE

Product	Ref. No.
SMEV MO9222R	9102300025
SMEV MO9222L	9102300024
SMEV MO8322R	9102300020
Tap fitting AC 539 [Plastic, colour: chrome]	9102300076

### Dometic CRAMER CE00-MINI/BO-HI/27-I-G

2-burner hob/sink combination with glass lid

3.37



<b>Power rating</b>	3.2 kW
<b>Gas consumption</b>	233 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner cap, tap fitting inside, safety ignition system, recessed controls, siphon, rubber seal, supplied with hole for tap [Ø 27 mm]
<b>Dimensions [W x H x D]</b>	600 x 145.8 x 445 mm
<b>Built-in dimensions [W x D]</b>	590 x 435 mm
<b>Weight</b>	5 kg
<b>Test mark</b>	CE



Gas

Integrated heat-resistant safety glass lid

Detachable pan supports – easy to clean

Stainless steel burner caps

Tap fitting inside

Safety ignition system

### Dometic CRAMER KOMBI 840x436-DF-HI/21-I-2G

3-burner hob/sink combination with glass lids



<b>Power rating</b>	4.8 kW
<b>Gas consumption</b>	350 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	3
<b>Quality features</b>	2 integrated heat-resistant safety glass lids, detachable chromed pan supports, stainless steel burner cap, tap fitting inside, safety ignition system, recessed controls, siphon, rubber seal, supplied with hole for tap [Ø 21 mm]
<b>Dimensions [W x H x D]</b>	840 x 147 x 436 mm
<b>Built-in dimensions [W x D]</b>	820 x 392 mm
<b>Weight</b>	6.1 kg
<b>Test mark</b>	CE

Product	Ref. No.
Dometic CRAMER CE00-MINI/BO-HI/27-I-G	9103300461
Dometic CRAMER KOMBI 840x436-DF-HI/21-I-2G	9103300482

Taps not included!



# Cooking and washing up in all variations

If you want to save on space without compromising on quality, then SMEV and Dometic CRAMER have an intelligent solution at hand. For example, solutions combining double-burner hobs and a sink. Made from sturdy stainless steel, compact in design, and easy to clean.

## SMEV MO911L

2-burner hob/sink combination

3.38



<b>Power rating</b>	2.8 kW
<b>Gas consumption</b>	204 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Detachable chromed pan support, enamelled burner caps, recessed controls, safety ignition system, AC 540 siphon, rubber seal
<b>Dimensions [W x H x D]</b>	800 x 125 x 320 mm
<b>Built-in dimensions [W x D]</b>	766 x 286 mm
<b>Weight</b>	3.1 kg
<b>Test mark</b>	CE



Gas

Detachable pan support – easy to clean

Enamelled burner caps

Safety ignition system

Siphon

Tap fitting outside

## SMEV MO917R / MO917L

2-burner hob/sink combination



MO917R

<b>Power rating</b>	2.8 kW
<b>Gas consumption</b>	204 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Detachable chromed pan support, stainless steel burner caps, recessed controls, safety ignition system, AC 540 siphon, rubber seal
<b>Dimensions [W x H x D]</b>	600 x 120 x 420 mm
<b>Built-in dimensions [W x D]</b>	566 x 386 mm
<b>Weight</b>	2.5 kg
<b>Test mark</b>	CE

## SMEV MO921R / MO921L

2-burner hob/sink combination



MO921L

<b>Power rating</b>	2.8 kW
<b>Gas consumption</b>	204 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Detachable chromed pan support, stainless steel burner caps, recessed controls, safety ignition system, AC 540 siphon, rubber seal
<b>Dimensions [W x H x D]</b>	800 x 135 x 420 mm
<b>Built-in dimensions [W x D]</b>	798 x 418 mm
<b>Weight</b>	3.2 kg
<b>Test mark</b>	CE



AC 539, plastic



AC 537, brass

Taps not included!

Product	Ref. No.
SMEV MO911L	9102300044
SMEV MO917R	9102300046
SMEV MO917L	9102300045
SMEV MO921R	9102300047
SMEV MO921L	9102300048
<b>Optional extras</b>	
Tap fitting AC 539 [Plastic, colour: chrome]	9102300076
Tap fitting AC 537 [Brass, colour: chrome]	9102300077

## SMEV MO927R / MO927L

2-burner hob/sink combination

3.38



MO927R



MO927L

<b>Power rating</b>	2.8 kW
<b>Gas consumption</b>	204 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Detachable chromed pan support, stainless steel burner caps, recessed controls, safety ignition system, AC 540 siphon, rubber seal
<b>Dimensions [W x H x D]</b>	490 x 120 x 460 mm
<b>Built-in dimensions [W x D]</b>	456 x 426 mm
<b>Weight</b>	2.5 kg
<b>Test mark</b>	CE



Gas

Detachable pan support – easy to clean

Enamelled burner caps

Safety ignition system

Siphon

Tap fitting outside



AC 539, plastic



AC 537, brass

## Dometic CRAMER CM EK2000-I

2-burner hob/sink combination

3.37



<b>Power rating</b>	3.2 kW
<b>Gas consumption</b>	233 g/h
<b>Gas supply pressure</b>	30 mbar
<b>Number of burners</b>	2
<b>Quality features</b>	Detachable chromed pan supports, stainless steel burner cap, tap fitting outside, safety ignition systems, controls fitted outside, siphon, rubber seal
<b>Dimensions [W x H x D]</b>	460 x 124 x 480 mm
<b>Built-in dimensions [W x D]</b>	440 x 460 mm
<b>Weight</b>	4.2 kg
<b>Test mark</b>	CE



Gas

Detachable pan supports – easy to clean

Stainless steel burner caps

Safety ignition system

Siphon

Tap fitting outside



AC 539, plastic



AC 537, brass

Product	Ref. No.
SMEV MO927R	9102300050
SMEV MO927L	9102300049
Dometic CRAMER CM EK2000-I	9103300450
<b>Optional extras</b>	
Tap AC 539 [Plastic, colour: chrome]	9102300076
Tap AC 537 [Brass, colour: chrome]	9102300077

Taps not included!

## Washing up under cover

The wide product selection makes it easy to find the optimum solution for your installation needs: round or square, sinks in various dimensions, all of them compact. With a practical glass lid which is simply folded down after washing up, providing additional workspace. All sinks are supplied complete with siphon and rubber seal.



### SMEV VA7306FP

Round sink with glass lid

3.38



<b>Quality features</b>	Integrated heat-resistant safety glass lid, tap fitting inside, AC 540 siphon, rubber seal, supplied with hole for tap [Ø 39 mm]
<b>Dimensions [Ø x H]</b>	420 x 148 mm
<b>Built-in dimensions [Ø]</b>	400 mm
<b>Weight</b>	3.4 kg

**Integrated heat-resistant safety glass lid**

**Tap fitting inside**

**Siphon**

**Rubber seal**

### SMEV VA8005


Square sink with glass lid



<b>Quality features</b>	Integrated heat-resistant safety glass lid, tap fitting inside, AC 540 siphon, rubber seal, supplied with hole for tap [Ø 39 mm]
<b>Dimensions [W x H x D]</b>	420 x 145 x 370 mm
<b>Built-in dimensions [W x D]</b>	405 x 355 mm
<b>Weight</b>	2.7 kg

### SMEV VA8006

Square sink with glass lid



<b>Quality features</b>	Integrated heat-resistant safety glass lid, tap fitting inside, AC 540 siphon, rubber seal, supplied with hole for tap [Ø 39 mm]
<b>Dimensions [W x H x D]</b>	420 x 145 x 440 mm
<b>Built-in dimensions [W x D]</b>	405 x 425 mm
<b>Weight</b>	3.4 kg

Product	Ref. No.
SMEV VA7306FP	9102300030
SMEV VA8005	9102300027
SMEV VA8006	9102300028
Tap fitting AC 539 [Plastic, colour: chrome]	9102300076



AC 539, plastic

**Taps not included!**

### Dometic CRAMER CE99 B410L-I-G

Square sink with glass lid

3.37



<b>Quality features</b>	Integrated heat-resistant safety glass lid, tap fitting outside, siphon, rubber seal
<b>Dimensions [W x H x D]</b>	410 x 125 x 335 mm
<b>Built-in dimensions [W x D]</b>	400 x 325 mm
<b>Weight</b>	3.3 kg

**Integrated heat-resistant safety glass lid**

**Siphon**

**Rubber seal**

### Dometic CRAMER CE99 B-HI/27-I-G

Square sink with glass lid



<b>Quality features</b>	Integrated heat-resistant safety glass lid, integrated waste tray, tap fitting inside, siphon, rubber seal, supplied with hole for tap [Ø 39 mm]
<b>Dimensions [W x H x D]</b>	400 x 150.7 x 445 mm
<b>Built-in dimensions [W x D]</b>	390 x 435 mm
<b>Weight</b>	4.1 kg

### Dometic CRAMER CE99 BTK600/HI/27-I-G

Sink/drain combination, with glass lid



<b>Quality features</b>	Integrated heat-resistant safety glass lid, integrated waste tray, tap fitting inside, siphon, rubber seal, supplied with hole for tap [Ø 39 mm]
<b>Dimensions [W x H x D]</b>	600 x 136 x 445 mm
<b>Built-in dimensions [W x D]</b>	590 x 435 mm
<b>Weight</b>	5.1 kg

Product	Ref. No.
Dometic CRAMER CE99 B410L-I-G	9103300433
Dometic CRAMER CE99 B-HI/27-I-G	9103300424
Dometic CRAMER CE99 BTK600/HI/27-I-G	9103300427

**Taps not included!**

# Keeping it clean on board!

Rinsing, washing, disposing of waste – that needn't be a hassle when you're on the move. The SMEV and Dometic CRAMER sinks are practical and affordable solutions to complement your kitchen fittings. Waste trays, sinks and washbowls – all products feature hard-wearing material and refined functionality.

## SMEV VA928

Round sink

3.38



Quality features	AC 540 siphon, rubber seal
Dimensions [Ø x H]	400 x 130 mm
Built-in dimensions [Ø]	366 mm
Weight	1 kg

Siphon

Rubber seal

## SMEV VA910


Square sink



Quality features	AC 540 siphon, rubber seal
Dimensions [W x H x D]	370 x 125 x 370 mm
Built-in dimensions [W x D]	336 x 336 mm
Weight	1.1 kg

## SMEV VA930

Square sink



Quality features	AC 540 siphon, rubber seal
Dimensions [W x H x D]	280 x 145 x 380 mm
Built-in dimensions [W x D]	272 x 372 mm
Weight	1 kg

## SMEV VA936

Square sink with drainer



Quality features	AC 540 siphon, rubber seal, drainer
Dimensions [W x H x D]	590 x 125 x 370 mm
Built-in dimensions [W x D]	562 x 344 mm
Weight	1.5 kg

## SMEV VA945

Square double sink



Quality features	2 AC 540 siphons, rubber seal
Dimensions [W x H x D]	575 x 100 – 110 x 370 mm
Built-in dimensions [W x D]	541 x 340 mm
Weight	1.9 kg

Product	Ref. No.
SMEV VA928	9102300051
SMEV VA910	9102300056
SMEV VA930	9102300052
SMEV VA936	9102300054
SMEV VA945	9102300055
<b>Optional extras</b>	
Tap AC 539 [Plastic, colour: chrome]	9102300076
Tap AC 537 [Brass, colour: chrome]	9102300077



AC 539, plastic




AC 537, brass

Taps not included!

## Dometic CRAMER CE02 B325-I

Round sink

3.37



Quality features	Siphon, rubber seal
Dimensions [Ø x H]	325 x 125.5 mm
Built-in dimensions [Ø]	298 mm
Weight	1.2 kg

Siphon

Rubber seal

## Dometic CRAMER CE09


Round washbowl



Quality features	Siphon, rubber seal
Dimensions [W x H x D]	442.8 x 132.5 x 292.4 mm
Built-in dimensions [W x D]	417.35 x 265.45 mm
Weight	0.6 kg

## Dometic CRAMER CE88-B-I

Square sink



Quality features	Siphon, rubber seal
Dimensions [W x H x D]	400 x 124 x 325 mm
Built-in dimensions [W x D]	370 x 295 mm
Weight	1.7 kg



AC 539, plastic




AC 537, brass

Taps not included!

## Dometic CRAMER CE88 BTK550-I BVO/98

Sink/drain combination



Quality features	Siphon, rubber seal
Dimensions [W x H x D]	550 x 134 x 400 mm
Built-in dimensions [W x D]	530 x 380 mm
Weight	2.6 kg

## Dometic CRAMER waste bin with glass lid



Quality features	Integrated heat-resistant safety glass lid, removable bin, 2-litre capacity
Dimensions [W x H x D]	182 x 200 x 192 mm
Built-in dimensions [W x D]	172 x 182 mm
Weight	0.8 kg

Integrated heat-resistant safety glass lid

Product	Ref. No.
Dometic CRAMER CE02 B325-I	9103300470
Dometic CRAMER CE09	9103300478
Dometic CRAMER CE88-B-I	9103300418
Dometic CRAMER CE88 BTK550-I BVO/98	9103300413
Dometic CRAMER waste bin with glass lid	9103300435
<b>Optional extras</b>	
Tap AC 539 [Plastic, colour: chrome]	9102300076
Tap AC 537 [Brass, colour: chrome]	9102300077

## Optional extras

The perfect symbiosis of technology and accessories makes life in the galley much easier. The dimensions and shape of cutting boards, drainers and grill pans have been designed with SMEV appliances in mind and slot in precisely to make cooking a joy! The sink taps have also been designed with the needs of galley cooking in mind: robust, compact and easy to use.

### Taps



Tap, plastic, colour: chrome	AC 539
Tap, brass, colour: chrome	AC 537

### Siphons



Siphon, angled waste fitting, Ø 25 mm	AC 530
Siphon, straight waste fitting, Ø 25 mm	AC 535
Siphon, angled waste fitting, Ø 20 mm	AC 540
Siphon, straight waste fitting, Ø 20 mm	AC 545
Siphon, double waste fitting, Ø 25 mm	AC 557

Product	Ref. No.
Tap AC 539, plastic, colour: chrome	9102300076
Tap AC 537, brass, colour: chrome	9102300077
Siphon, angled waste fitting, Ø 25 mm, AC 530	9102300082
Siphon, straight waste fitting, Ø 25 mm, AC 535	9102300083
Siphon, angled waste fitting, Ø 20 mm, AC 540	9102300084
Siphon, straight waste fitting, Ø 20 mm, AC 545	9102300085
Siphon, double waste fitting, Ø 25 mm, AC 557	9102300086

3.38

### Cutting boards



Cutting board – round	AC 570
Dimensions [Ø]	388 mm
Cutting board – square	AC 571
Dimensions [W x D]	328 x 328 mm

### Drainer grid



Drainer grid 1	AC 701
Dimensions [W x H x D]	300 x 100 x 300 mm
Drainer grid 2	AC 702
Dimensions [W x H x D]	330 x 60 x 230 mm

### Grill pan



Grill pan	AC 700
Dimensions [W x D]	260 x 260 mm [without handle]

Product	Ref. No.
Cutting board, round, AC 570	9102300071
Cutting board, square, AC 571	9102300072
Drainer grid 1, AC 701	9102300073
Drainer grid 2, AC 702	9102300074
Grill pan, AC 700	9102300075

3.38



## Intelligent design for top performance

The air recirculation cooker hoods in the Dometic CK series quickly draw cooking fumes, odours and moist air out of the cabin. The compact fan, which is equipped with a 12-volt motor, is integrated into the roof dome and not into the unit itself. This design ensures a better airflow and a better performance. The external connection consists of a flexible pipe and a weather-proof cap which is installed on the roof of the caravan. The built-in Dometic CK 150 model features a 1-level fan with a capacity of 115 m<sup>3</sup>/h, the CK 400 works with a 2-level fan [70 or 125 m<sup>3</sup>/h]. Both models feature 2-level lighting with integrated halogen lamps for extra comfort and convenience.

### Dometic CK 150

Built-in exhaust air recirculation cooker hood with 1-speed fan



<b>Voltage</b>	12 volts DC
<b>Capacity</b>	115 m <sup>3</sup> /h
<b>Power input</b>	30 watts
<b>Quality features</b>	1-speed fan, washable metal grease filter, 2-level lighting with halogen lamps [1 x 20 watts/12 volts, GU5.3], robust plastic roof dome
<b>Dimensions [W x H x D]</b>	400 x 45 x 165 mm
<b>Cupboard recess [W x D]</b>	381 x 142 mm
<b>Roof opening [Ø]</b>	105 mm
<b>Roof dome dimensions [H x Ø]</b>	64 x 200 mm
<b>Weight</b>	1.9 kg
<b>Test marks</b>	CE, e5

3.36

**NEW**

Washable metal filter

Robust plastic roof dome

2-level lighting

### Dometic CK 400

Exhaust air recirculation cooker hood with 2-speed fan



<b>Voltage</b>	12 volts DC
<b>Capacity</b>	70/125 m <sup>3</sup> /h
<b>Power input</b>	30 watts
<b>Quality features</b>	2-speed fan, washable metal grease filter, 2-level lighting with halogen lamps [2 x 10 watts/12 volts, GU4], robust plastic roof dome
<b>Dimensions [W x H x D]</b>	400 x 45 x 275 mm
<b>Roof opening [Ø]</b>	105 mm
<b>Roof dome dimensions [H x Ø]</b>	64 x 200 mm
<b>Weight</b>	3 kg
<b>Test marks</b>	CE, e5

3.36

Washable metal grease filter

2-speed fan

Two integrated halogen lights

Robust plastic roof dome

### Dometic GY 11 / GY 20

Roof ventilation with or without motor



	GY 11	GY 20
<b>Voltage</b>	12 volts DC	-
<b>Capacity</b>	65/105 m <sup>3</sup> /h	-
<b>Power input</b>	30 watts	-
<b>Quality features</b>	GY 11: 2-speed fan, powerful ventilation even when the engine is turned off [3 to 12 m <sup>3</sup> /h at wind speed of 1 to 4 m/s] GY 20: Uses the differential pressure principle; efficient and noiseless operation without moving parts	
<b>Roof opening [Ø]</b>	105 mm	130 mm
<b>Roof dome dimensions [H x Ø]</b>	64 x 200 mm	64 x 200 mm
<b>Weight</b>	0.6 kg	0.4 kg
<b>Product</b>	<b>Ref. No.</b>	
Dometic CK 150	9107300000	
Dometic CK 400	9107300001	
Dometic GY 11	9107300003	
Dometic GY 20	9107300004	

3.36

**NEW**

High-performance

Robust plastic roof dome

## Innovative air recirculation cooker hood

**Forget about cooking fumes, heat build-up, condensation and installation hassle!** Dometic CK2000 is the world's first motorhome cooker hood to use the principle of air recirculation, so there's no need to install a roof ventilator. Cooking fumes are drawn upwards along the centre line of the unit, then the cleaned air is returned via the sides to the front. This creates an air-dome that stops fumes escaping and ensures a good suction performance [38/45 m<sup>3</sup>/h]. Moreover, the patent-pending appliance is extremely efficient at a power consumption of only 5 watts. The Dometic CK2000 comes with a washable grease filter, an easy-to-exchange activated carbon filter and two integrated work lamps for extra comfort and convenience.



### Dometic CK 2000

Air recirculation cooker hood with exchangeable activated carbon filter

3.36



<b>Voltage</b>	12 volts DC
<b>Capacity</b>	38/45 m <sup>3</sup> /h
<b>Power input</b>	5 watts
<b>Quality features</b>	2-level fan, 2 integrated halogen lamps [2 x 10 watts/12 volts, GU4], 2 lighting levels, washable metal grease filter, exchangeable active carbon filter, 2-level fan
<b>Dimensions [W x H x D]</b>	400 x 56 x 280 mm
<b>Weight</b>	2.2 kg
<b>Test mark</b>	CE



12 volts DC

Fast and simple installation, no need to lay ventilation hoses!

Washable metal grease filter, easy-to-exchange carbon filter

Easy access to grease filter and carbon filter

Two-speed fan, two integrated halogen lights

Low weight of only 2.2 kg

Product	Ref. No.
Dometic CK 2000	9107300002
<b>Optinal extra</b> Active carbon filter [2-pack]	9107300007



Two integrated halogen lights



Exchangeable activated carbon filter



Washable metal grease filter



## No more cups rattling around

You don't fancy doing the dishes by hand when you're on holiday? Don't worry, your Dometic dishwasher does them for you - easily and quietly. Its innovative Carboran housing is light and sound-absorbing, which makes for surprisingly low-noise operation. Moreover, Carboran is absolutely rust-proof and 100% recyclable.

The free-standing Dometic dishwashers feature practical technical advantages: up to four individual programs and the efficient **WBS spray arm [wide-band spray system]** ensure fast and thorough cleaning. The units

excel with their low water and energy consumption and are therefore environmentally friendly.



Easy operation with timer function



Uses commonly available dishwasher tabs

### Dometic DW 2440S / DW 2440W

230-volt dishwasher for free-standing use

3.40



DW 2440S



DW 2440W

	DW 2440S	DW 2440W
Voltage	230 volts AC	230 volts AC
Temperature levels	50/55/65/70 °C	50/55/65/70 °C
Power consumption	0.63 kWh	0.63 kWh
Power input	1180 watts	1180 watts
Fuse	10 A	10 A
Noise level	48 dBA	48 dBA
Frequency	50 Hz	50 Hz
Water consumption	7 litres	7 litres
Energy efficiency class	A	A
Drying performance class	B	B
Required water pressure	0.8 bar	0.8 bar
Colour	Silver	White
Dimensions [W x H x D]	545 x 447 x 480 mm	545 x 447 x 480 mm
Weight	20.7 kg	20.7 kg
Quality features	Innovative wide-band spray system, noise-insulated stainless steel and recyclable Carboran housing, automatic filter cleaning system, very low water and power consumption, switch-on delay	

- Minimal weight: just 20.7 kg
- Equipped with the innovative WBS spray arm [wide-band spray system]
- Automatic filter cleaning system
- Low water and power consumption
- Including a timer function
- Available in two colours

### Dometic DW 2410

230-volt dishwasher for free-standing use

3.40



Voltage	230 volts DC
Frequency	50 Hz
Temperature levels	40/50/55/65/70 °C
Power consumption	0.57 kWh
Power input	1280 watts
Fuse	10 A
Noise level	57 dBA
Water consumption	8 litres
Energy efficiency class	A
Drying performance class	B
Required water pressure	0.8 bar
Colour	White
Dimensions [W x H x D]	450 x 460 x 480 mm
Weight	16.5 kg
Quality features	Low in weight, innovative wide-band spray system, noise-insulated stainless steel and recyclable Carboran housing, low water and power consumption, switch-on delay
Approvals	CE

- NEW**
- Very light: just 16.5 kg
- Equipped with the innovative WBS spray arm [wide-band spray system]
- Automatic filter cleaning system
- Low water and power consumption
- Compact dimensions

The compact class

Attention: Not suitable for use in the UK

Product	Ref. No.
Dometic DW 2440S	9102300080
Dometic DW 2440W	9102300081
Dometic DW 2410	9103500001



## Relaxed breaks in a kitchen of your own

Comfort where and when you need it

**Something hot is what you need:** this handy kettle, especially designed for operation in vehicles, provides you with a pot of tea, a cup of coffee or a mug of soup in no time at all. The robust gadget is available in two versions for 12-volt and 24-volt operation. The automatic cut-off function stops it from overheating when empty and ensures safe and comfortable handling. An indispensable helper on board!



### WAECO PerfectKitchen MCK 750

Car-Kettle for 12 or 24 volts

3.14



Capacity approx.	0.75 litres
Voltage	12 or 24 volts DC
Average power consumption	12 volts: 200 watts, 24 volts: 380 watts
Colour	Black/silver
Dimensions (W x H x D)	190 x 205 x 125 mm (incl. fixing kit)
Weight	0.8 kg
Quality features	Robust relay technology, switches off automatically when the boiling temperature has been reached, or when there's no water in the kettle, status indication
Test marks	e-approved (Automotive EMC Directive), complies with German Foodstuff and Consumer Goods Act (LMBG)
Scope of delivery	Fixing kit for wall or desk mounting

Tailor-made for mobile use

Robust relay technology

Wall or desk mounting

Product	Ref. No.
PerfectKitchen MCK 750, 12 volts	MCK-750-12/N
PerfectKitchen MCK 750, 24 volts	MCK-750-24/N



## Freshly brewed coffee – anytime, anywhere

WAECO PerfectCoffee for 12 or 24 volts

The WAECO PerfectCoffee range includes coffee-makers for all requirements and budgets. Regardless of whether you opt for the 8-cup luxury model or the inexpensive 1-cup brewer: you'll enjoy great coffee when you need it most!

- › Available as a **12-volt** or **24-volt** model
- › Designed **for mobile use**
- › With **fixing kit** for a firm hold in the vehicle
- › **Automatic cut-off after brewing** or **overheat protection**
- › **E-approved** and **food-safe according to the German Foodstuff and Consumer Goods Act (LMBG)**



### WAECO PerfectCoffee MC08

Coffee-Maker de Luxe, 8 cups, 12 volts or 24 volts

3.13



<b>Capacity</b>	8 cups (750 ml)
<b>Voltage</b>	12 or 24 volts DC
<b>Average power consumption</b>	12 volts: 200 watts, 24 volts: 360 watts
<b>Colour</b>	Black / silver
<b>Dimensions (W x H x D)</b>	285 x 320 x 100 mm
<b>Weight</b>	1.8 kg
<b>Quality features</b>	Slim, space-saving design, removable water tank, water level indicator, robust relay technology, LED status indication, cut-off after brewing
<b>Test marks</b>	E-approved (Automotive EMC Directive), food-safe according to the German Foodstuff and Consumer Goods Act (LMBG)

- Automatic cut-off after brewing**
- Convenient operation**
- Removable water tank**
- Robust relay technology**
- Wall or desk mounting**

**Scope of delivery:** Insulated pot, fixing kit for wall or desk mounting

Product	Ref. No.
PerfectCoffee MC08, 12 volts	MC-8-12LX/N
PerfectCoffee MC08, 24 volts	MC-8-24LX/N

### WAECO PerfectCoffee MC01

Coffee-Maker, 1-cup, 12 volts or 24 volts

3.13



Price hit!

<b>Capacity</b>	150 ml
<b>Voltage</b>	12 or 24 volts DC
<b>Average power consumption</b>	12 volts: 180 watts, 24 volts: 250 watts
<b>Current consumption</b>	approx. 15 A
<b>Colour</b>	Silver / black
<b>Dimensions (W x H x D)</b>	135 x 190 x 110 mm (incl. fixing kit)
<b>Weight</b>	0.8 kg
<b>Quality features</b>	Short brewing time, automatic cut-off, switches off automatically when there's no water in the tank, permanent filter, status indicator
<b>Test marks</b>	Food-safe according to the German Foodstuff and Consumer Goods Act (LMBG), CE

- Fixing kit for wall or desk mounting**
- Freshly brewed coffee ready in 5 minutes**
- For cars, trucks, caravans or boats**

**Scope of delivery:** Coffee-Maker with connection cable and plug, ceramic mug, fixing kit

Product	Ref. No.
PerfectCoffee MC01, 12 volts	MC-01-12
PerfectCoffee MC01, 24 volts	MC-01-24